


La Modano



ESSENTIAL COOKING

Product
Catalogue
2024



PRODUCT CATEGORIES

COOKER

04-14

BUILT-IN OVEN

15-25

ELECTRIC OVEN

26-27

BUILT-IN HOBS

44-58

BUILT-IN HOODS

41-48

BUILT-IN FRIDGE

59-67

REFRIGERATOR

68-69

BUILT-IN WASHER

70-72

BUILT-IN DISHWASHER

73-74

STAND MIXER

75-76

ELECTRIC GRILL

77-78



COOKER

THE PERFECT PARTNER FOR YOUR KITCHEN



MODEL: LMC1001GE

GAS ELECTRIC

FEATURES

100x60 cm, Electric Oven With 7 Gas Burners
Standard Control Panel
Linea Knob White-inox / Silver
Vero Inox-black Handle
E-digital Touch Timer
Double Glass Oven Door (Fixed inner glass), Wire Rack
Easy Fix, Easy to clean (ETC) enamel for cavity, One-touch
-ignition Through Knob
With cooling fan, Metal bracket turnspit holder, Cast iron
pan supports and Cast iron flat burner caps
With LED display
230V~/400V 3N~, 50Hz

FUNCTIONS

(Upper Left Cavity Oven Functions): 0/ Grill / Double Grill
(Lower Left Cavity Oven Functions): 0 / Defrost / Fan+Ring
/ Top+Bottom / Top+Bottom+Fan / Grill+Turnspit / Grill+
Fan+Turnspit

PACKING DETAILS

Net Weight : 83.22 Kg
Gross Weight : 90.30 Kg
Product Dimension (WxDxH) : 1000x600x945mm
Packaging Dimension (WxDxH) : 1103x730x967mm
Loading Capacity : 64 pcs



04





MODEL: LMC903GE

GAS ELECTRIC

FEATURES

90x60 cm Electric Oven With 5 Gas Burners (1 Wok Burner)

Standard Glass With Metal Profile Lid

Flat Design Control Panel, Nord Knob Wh-inox/silver

Cylinder Inox-black Handle, Mechanical Timer

Double (Lowe) Glass Oven Door- Inner Glass Fixed

Grid Runners (Wire Racks) Rack Type

Black + Full Catalytic Enamel

Flap Type With Compartment Base Drawer

With Cooling Fan, Wire Grid Turnspit Holder

Cast Iron Pan Supports And Cast Iron Flat Burner Caps

Lpg (G30-28/30 mbar), Safety Device On Hobs

With Gas Conversion Kit (Ng (G20-20 mbar)

230V, 50Hz

FUNCTIONS

Ovenlight / Defrost / Fan+ring / Top+bottom / Top+bottom

+fan / Pizza / Grill+turnspit / Double Grill+turnspit

Double Grill+fan+turnspit, One-touch-ignition Through knob

PACKING DETAILS


Net Weight : 67.00 Kg
Gross Weight : 75.00 Kg
Product Dimension (WxDxH) : 900x600x850mm
Packaging Dimension (WxDxH) : 950x695x860mm
Loading Capacity : 123 pcs



5 GAS
BURNERS



FLAT DESIGN
CONTROL PANEL



TURNSPIT



FAN+
RING



MECHANICAL
TIMER



PAN
SUPPORT



TURBO
FAN



DEFROST



ONE-TOUCH
IGNITION



DOUBLE
GRILL





MODEL: LMC901GG

GAS

FEATURES

90x60 cm Gas Oven With 5 Gas Sabaf Burners

Tempered Glass Upper Cover

Steel Top Plate, Control And Sides Steel Finish, With Timer

Double Glass Oven Door, Termovit Glass Inner Door Type

Removable Hinges

With Full Ignition On Hobs And Oven

Embossed, Enamelled Oven Cavity, Side Racks Enamelled

Easy To Clean, Metal Handle, Impact Resistant Knob

Double Knob, Steel Flap Drawer

Thermostatic Control, Flame Failure Device, Turbo Fan

Light, Turnspit

1x Enamelled Tray + 1x Chrome Wire Grid

220-240V~, 50/60Hz, 1273g/h, 17.4 kW

FUNCTIONS

Fan Cooking, Rapid Defrost, Turnspit, Fanned Grill

Final Fan Cooking, Conventional Cooking, Grill

Final Cooking, Roasting

PACKING DETAILS

Net Weight : 65.50 Kg
Gross Weight : 73.00 Kg
Product Dimension (WxDxH) : 895x555x600mm
Packaging Dimension (WxDxH) : 960x680x860mm
Loading Capacity : 123 pcs




06




5 GAS SABAF
BURNERS



CONTROL
PANEL



TURNSPIT



FAN
COOKING



WITH
TIMER



PAN
SUPPORT



TURBO
FAN



RAPID
DEFROST



FLAME FAILURE
DEVICE



FANNED
GRILL





MODEL: LMC902GGPRO

GAS

FEATURES

90x60 cm Gas Oven With 5 Gas Burners (1 Wok Burner)
Splash Back Inox Lid, Flat Design Control Panel
Gama Knob Wh-inox/silver, Cylinder Inox-black Handle
Digital Timer, Double Glass Oven Door-Inner Glass Fixed
Grid Runners (Wire Racks) Rack Type
Black + Full Catalytic Enamel
Flap Type With Compartment Base Drawer
Closed Door Grill, With Cooling Fan
Wire Grid Turnspit Holder
Cast Iron Pan Supports And Cast Iron Flat Burner Caps
Lpg (G30-28/30 mbar), Safety Device On Hob And Oven
With Gas Conversion Kit (Ng (G20-20 mbar)
230V, 50Hz

FUNCTIONS

Oven Burner + Grill Burner+ Turnspit (With Thermostat)
+ Fan + Double Control, One-touch-ignition Through
knob

PACKING DETAILS

Net Weight : 65.95 Kg
Gross Weight : 71.78 Kg
Product Dimension (WxDxH) : 900x600x850mm
Packaging Dimension (WxDxH) : 950x695x860mm
Loading Capacity : 123 pcs



07





MODEL: LMC905GG

GAS

FEATURES

90x60 cm Gas Oven With 5 Gas Burners (1 Wok Burner)
Standard Glass With Metal Profile Lid
Flat Design Control Panel, Nord Knob Wh-inox/silver
Cylinder Inox-black Handle
Mechanical Timer
Double Glass Oven Door- Inner Glass Fixed
Mold Runner Rack Type
Etc Enamelled / Black
Flap Type With Compartment Base Drawer
With Cooling Fan
Wire Grid Turnspit Holder
Cast Iron Pan Supports And Cast Iron Flat Burner Caps
Lpg (G30-28/30 mbar), Safety Device On Hob
With Gas Conversion Kit (Ng (G20-20 mbar), 230V, 50Hz)

FUNCTIONS

Oven Burner + Gas Grill + Turnspit With Oven Lamp
One-touch-ignition Through knob

PACKING DETAILS

Net Weight : 67.45 Kg
Gross Weight : 73.27 Kg
Product Dimension (WxDxH): 900x600x850mm
Packaging Dimension (WxDxH): 950x695x860mm
Loading Capacity : 123 pcs



08





MODEL: LMC601GG GAS

FEATURES

60x60 cm Gas Oven with 4 Gas Burners (1 Wok Burner)

Standard Glass With Metal Profile Lid

Flat Design Control Panel, Nevis Knob Black

Cylinder Inox-black Handle, Mechanical Timer

65 Lts / Big Cavity Volume

Double Glass Oven Door (Inner Glass Fixed)

Wire Rack Easy Fix Cavity And Easy To Clean Enamelled

Flap Type - Dishwarmer Compartment

With Cooling Fan, Wire Grid Turnspit Holder

Cast Iron Pan Supports And Cast Iron Flat Burner Caps

Lpg (G30-28/30 mbar)

Safety Device For Both Hob And Oven Available

With Gas Conversion Kit (Ng (G20-20 mbar)

230V, 50Hz, 2600W

FUNCTIONS

Oven Burner + Grill Burner + Turnspit, With Oven Lamp

One-touch-ignition Through knob

PACKING DETAILS

Net Weight : 46.12 Kg
Gross Weight : 49.24 Kg
Product Dimension (WxDxH): 600x600x850mm
Packaging Dimension (WxDxH): 655x694x925mm
Loading Capacity : 150 pcs




09



4 GAS
BURNERS



FLAT DESIGN
CONTROL PANEL



TURNSPIT



WITH COOLING
FAN



MECHANICAL
TIMER



PAN
SUPPORTS



OVEN
LIGHT



DEFROST



ONE-TOUCH
IGNITION



GRILL
BURNER





MODEL: LMC906GG GAS

FEATURES

90x90 cm Gas Oven

5 Gas Burners

Full Automatic Ignition from the knobs

Front Control Panel

Stainless Steel

Touch Digital Timer

Knob Control

Cast Iron Pan Supports

Enamelled,Mat Burner Caps

2X15W Turbo Fan

220-240V~, 50-60Hz

FUNCTIONS

Lamp / Turnspit / Lamp+ Turnspit,

Grill Burner, Oven Burner,


Catalitic Cavity with side wire racks in the Oven



5 GAS
BURNERS



FLAT DESIGN
CONTROL PANEL



TURNSPIT



WITH TURBO
FAN



DIGITAL
TIMER



PAN
SUPPORTS



OVEN
LIGHT



ENAMELLED,MAT
BURNER CAPS



FLAME FAILURE
DEVICE



GRILL
BURNER

PACKING DETAILS

Net Weight : 72.00 Kg

Gross Weight : 75.00 Kg

Product Dimension (WxDxH) : 900X627X799mm

Packaging Dimension (WxDxH) : 950X685X842mm

Loading Capacity : 123 pcs



8 6 8 1 9 8 8 0 4 2 2 6 2

10





MODEL: LMC906GGB GAS

FEATURES

90x90 cm Gas Oven

5 Gas Burners

Full Automatic Ignition from the knobs

Front Control Panel

Stainless Steel

Touch Digital Timer

Knob Control

Cast Iron Pan Supports

Enamelled,Mat Burner Caps

2X15W Turbo Fan

220-240V~, 50-60Hz

FUNCTIONS

Lamp / Turnspit / Lamp+ Turnspit,

Grill Burner, Oven Burner,


Catalitic Cavity with side wire racks in the Oven



5 GAS
BURNERS



FLAT DESIGN
CONTROL PANEL



TURNSPIT



WITH TURBO
FAN



DIGITAL
TIMER



PAN
SUPPORTS



OVEN
LIGHT



ENAMELLED,MAT
BURNER CAPS



FLAME FAILURE
DEVICE



GRILL
BURNER

PACKING DETAILS

Net Weight : 72.00 Kg

Gross Weight : 75.00 Kg

Product Dimension (WxDxH) : 900X627X799mm

Packaging Dimension (WxDxH) : 950X685X842mm

Loading Capacity : 123 pcs



8 6 8 1 9 8 8 0 4 2 2 7 9



MODEL: LMC904VT

ELECTRIC

FEATURES

90x60 Cm Electric Oven With 5 Elec. Vitroceramic Glass
Splash Black Inox Lid, Flat Design Control Panel
Nord Knob White-inox/Silver, Cylinder Inox-black Handle
Digital Timer
Triple (Lowe) Glass Oven Door - Inner Glass Fixed
Grid Runners (Wire Racks) Rack Type
Black + Full Catalytic Enamel
Flap Type With Compartment Base Drawer
With Cooling Fan
Wire Grid Turnspit Holder
With Led Display
11300W
230V~/400V 3N, 50Hz

FUNCTIONS

Oven Light / Defrost / Fan+ring / Top+bottom
Top+bottom +fan / Pizza / Grill+turnspit
Double Grill+turnspit/ Double Grill+fan+turnspit

PACKING DETAILS

Net Weight : 69.66 Kg
Gross Weight : 75.50 Kg
Product Dimension (WxDxH) : 900x600x850mm
Packaging Dimension (WxDxH) : 950x695x860mm
Loading Capacity : 123 pcs



12





MODEL: LMC602EE ELECTRIC

FEATURES

60x60 cm Electric Oven With 4 Electric Hotplates
With Glass With Aluminum Profile Lid
Flat Design Control Panel, Nevis Knob Wh-inox / Silver
Cylinder Inox-black Handle, Mechanical Timer
65 Lts / Big Cavity Volume
Double Glass Oven Door- Inner Glass Fixed (Lowe)
Wire Rack Easy Fix Cavity And Easy To Clean Enamelled
Flap Type With Compartment Base Drawer
With Cooling Fan And Wire Grid Turnspit Holder
With Rear Bottom Cover
230V~/400V 3N, 50Hz, 8100W

FUNCTIONS

Lamp / Defrost / Upper Heating Element + Lower
Heating Element / Upper Heating Element + Lower
Heating Element + Fan / Lower Heating Element + Fan /
Grill Heating Element + Rotating Spit / Double Grill +
Rotating Spit / Double Grill + Rotating Spit + Fan

PACKING DETAILS

Net Weight : 46.59 Kg
Gross Weight : 49.71 Kg
Product Dimension (WxDxH) : 600x600x850mm
Packaging Dimension (WxDxH) : 655x694x925mm
Loading Capacity : 150 pcs




13



4 ELECTRIC
HOTPLATES



FLAT DESIGN
CONTROL PANEL



TURNSPIT



FAN



MECHANICAL
TIMER



8100
WATT



TURBO
FAN



DEFROST



GRILL HEATING
ELEMENTS



DOUBLE
GRILL





MODEL: LMC603VT CERAMIC

FEATURES

60x60 cm Elec. Oven With 4 Vitroceramic Electric Cooking zones
Flat Design Control Panel, Nevis Knob White-inox
Cylinder Inox-black Handle, Digital Timer
65 Lts / Big Cavity Volume
Double glass oven door- Inner glass fixed (Lowe)
Wire Rack Easy Fix Cavity And Easy To Clean Black + Full Catalytic Enamel
Flap Type With Compartment Base Drawer
With Cooling Fan And Wire Grid Turnspit Holder
With Led Display, Rear Bottom Cover
230V~/400V 3N 50Hz, 9100W

FUNCTIONS

Lamp / Defrost / Upper H.E + Lower H.E. / Upper H.E + Lower H.E. + Fan / Lower H.E. + Fan / Grill H.E. + Rotating Spit / Double Grill + Rotating Spit / Double Grill + Rotating Spit + Fan

PACKING DETAILS

Net Weight : 44.06 Kg
Gross Weight : 47.25 Kg
Product Dimension (WxDxH) : 600x600x850mm
Packaging Dimension (WxDxH) : 655x694x925mm
Loading Capacity : 150 pcs



14





BUILT-IN OVENS


YOUR OVEN, YOUR MASTERPIECE



MODEL: LMBO903ES ELECTRIC

FEATURES

90 cm Stainless Steel
Multifunction Oven
End Cooking
2 Knobs Control With Digital Timer
Led Display
130L Cavity, Black Cavity Enamel
Double Glass Oven Door
Slim Bottom Frame
Soft Closing Door
220-240V~, 50/60Hz, 3150W



PACKING DETAILS

Net Weight : 51.50 Kg
Gross Weight : 55.50 Kg
Product Dimension (WxDxH) : 900x600x595mm
Packaging Dimension (WxDxH) : 932x700x630mm
Cutout Dimension (WxDxH) : 895x555x595mm
Loading Capacity : 160 pcs




FUNCTIONS

8 Functions (Lower Heating Element, Upper Heating Element, Radial Heating Element, Radial Fan, Cooling Fan Spit Motor, Light) Turbo Fan

ACCESSORIES

Chromed Side Racks, 1x Tray 25 mm, 1x Grid
-internal Lamp, Rotisserie





MODEL: LMBO904EB ELECTRIC

FEATURES

90 cm Black
Multifunction Oven
End Cooking
2 Knobs Control With Digital Timer
Led Display
130L Cavity, Black Cavity Enamel
Double Glass Oven Door
Slim Bottom Frame
Soft Closing Door
220-240V~, 50/60Hz, 3150W



PACKING DETAILS

Net Weight : 51.50 Kg
Gross Weight : 55.50 Kg
Product Dimension (WxDxH) : 900x600x595mm
Packaging Dimension (WxDxH) : 932x700x630mm
Cutout Dimension (WxDxH) : 895x555x595mm
Loading Capacity : 160 pcs




8 0 3 3 8 7 4 1 8 7 8 1 4

FUNCTIONS

8 Functions (Lower Heating Element, Upper Heating Element, Radial Heating Element, Radial Fan, Cooling Fan Spit Motor, Light) Turbo Fan

ACCESSORIES

Chromed Side Racks, 1x Tray 25 mm, 1x Grid
Rotisserie





MODEL: LMBO606MC ELECTRIC

FEATURES

60 cm Black

Multifunction Cooker, Glass Touch Control Panel

U-full Touch Control (Fd) Timer

Flat Quadrangle Inox-white Handle

Type 6/ Double (lowe) Full Glass Oven Door
(Removable Inner glass)

One-Touch-Ignition Through Knob

With Cooling Fan

Oven Lamp

With Led Display

230V~, 50Hz, 3100W



MULTI FUNCTION
COOKER



GLASS TOUCH
CONTROL PANEL



TURBO
FAN



LED
DISPLAY



3100
WATT

PACKING DETAILS

Net Weight : 35.71 Kg

Gross Weight : 37.58 Kg

Product Dimension (WxDxH) : 600x620x630mm

Packaging Dimension (WxDxH) : 660x645x650mm

Cutout Dimension (WxDxH) : 557x550x575mm

Loading Capacity : 216 pcs



6 2 9 1 1 0 1 6 9 6 1 1 5

FUNCTIONS


Defrost/ Bottom/ Top+bottom / Top+bottom+fan


/ Pizza / Double Grill / Double Grill+fan / 3d / Vapclean

Or Pyrolysis Or Steam, Turbo Fan

ACCESSORIES

Wire Rack Easy Fix, Easy To Clean (Etc) Enamel For Cavity





MODEL: LMBO604EB ELECTRIC

FEATURES

60 cm Black
Multifunction Oven
End Cooking
2 Knobs Control With Digital Timer
Led Display
64L Cavity, Black Cavity Enamel
Double Glass Oven Door
Crystal Door Aesthetic, Soft Closing Door
220-240V~, 50/60Hz, 3400W



PACKING DETAILS

Net Weight : 29.50 Kg
Gross Weight : 32.00 Kg
Product Dimension (WxDxH) : 560x543x598mm
Packaging Dimension (WxDxH) : 650x570x125mm
Cutout Dimension (WxDxH) : 595x560x598mm
Loading Capacity : 216 pcs




FUNCTIONS

8 Functions (Lower Heating Element, Upper Heating Element, Radial Heating Element, Radial Fan, Cooling Fan Spit Motor, Light) Turbo Fan

ACCESSORIES

Chromed Side Racks, 1x Tray 25 mm
1x Grid, Internal Lamp
Rotisserie





MODEL: LMBO605MC ELECTRIC

FEATURES

60 cm Black

Multifunction Oven

Black Glass With Stainless Steel Decoration

Touch Control With 2 Dial Knobs

White Led Display

96 cm Panel Height, Ceramic Flat Cavity Type

Soft Close / Open Hinge Door, Side Racks

Forced Cooling System, Self cleaning Oven

3 Layer Oven Glass Door

2900W Max Power, 30-250°C Temperature Range

220-240V~, 50-60Hz



72L
CAPACITY



MULTIFUNCTION
OVEN



TURBO
FAN



WHITE LED
DISPLAY



ROTISSERIE

PACKING DETAILS

Net Weight : 37.20 Kg

Gross Weight : 40.60 Kg

Product Dimension (WxDxH) : 595x595x610mm

Packaging Dimension (WxDxH) : 650x720x671mm

Cutout Dimension (WxDxH) : 560x560x580mm

Loading Capacity : 229 pcs



6 2 9 1 1 0 1 6 9 0 9 4 6

FUNCTIONS

13 Nos. Of Functions, with Turbo fan



ACCESSORIES

1 Pair Telescopic Rail

1x Enamel Baking Tray

1x Deep Enamel Tray, 1x Grill Rack

With Rotisserie





MODEL: LMBM34 ELECTRIC

FEATURES

- 34 Ltrs
- Black Glass + Stainless Steel Decorating
- Microwave Oven With Grill And Convection Function
- Touch Control With 2 Dial Knobs
- White Led Display, Stainless Steel Cavity
- Pull Down Door Handle, 5 Microwave Power Levels
- 4 Combination Modes, 11 Auto Menus
- 345mm Glass Turntable
- Grill Input Power: 1100W
- Convection Input Power: 2300W
- 230v~, 50Hz



PACKING DETAILS

Net Weight	:	25.20 Kg
Gross Weight	:	28.00 Kg
Product Dimension (WxDxH)	:	595x492x382mm
Packaging Dimension (WxDxH)	:	660x582x466mm
Cutout Dimension (WxDxH)	:	545x480x380mm
Loading Capacity	:	402 pcs




FUNCTIONS

- Add 30 Sec, Defrost By Weight And Time
- Cooking End Signal, Child Safety Lock
- Microwave Input Power: 1450W
- Microwave Output Power: 900W

ACCESSORIES

- Glass Tray X1, Grill Rack X2





MODEL: LMBO902GB GAS

FEATURES

90 cm Black
Gas Oven - Grill Gas With Cooling Fan
2 Knobs Control With Digital Timer
Led Display
130L Cavity, Black Cavity Enamel
Double Glass Oven Door
Slim Bottom Frame
Soft Closing Door
160W
220-240V~, 50/60 Hz



PACKING DETAILS

Net Weight : 54.00 Kg
Gross Weight : 58.00 Kg
Product Dimension (WxDxH) : 900x570x595mm
Packaging Dimension (WxDxH) : 932x700x630mm
Cutout Dimension (WxDxH) : 895x555x595mm
Loading Capacity : 160 pcs




8 0 3 3 8 7 4 1 8 7 8 2 1

FUNCTIONS

4 Oven Functions (Lamp + Bottom Heating Burner + Grill Heating + 2 Fan) Turbo Fan

ACCESSORIES

Chromed Side Racks
1x Tray 25 mm, 1x Grid
Internal Lamp, Rotisserie





MODEL: LMBO901GS

GAS

FEATURES

- 90 cm Stainless Steel
- Gas Oven - Grill Gas With Cooling Fan
- 2 Knobs Control With Digital Timer
- Led Display
- 130L Cavity, Black Cavity Enamel
- Double Glass Oven Door
- Slim Bottom Frame
- Soft Closing Door
- 160W
- 220-240V~, 50/60 Hz



PACKING DETAILS

- Net Weight : 54.00 Kg
- Gross Weight : 58.00 Kg
- Product Dimension (WxDxH) : 900x570x595mm
- Packaging Dimension (WxDxH) : 932x700x630mm
- Cutout Dimension (WxDxH) : 895x555x595mm
- Loading Capacity : 160 pcs




8 0 3 3 8 7 4 1 8 7 8 4 5

FUNCTIONS

- 4 Oven Functions (Lamp + Bottom Heating Burner + Grill Heating + 2 Fan) Turbo Fan

ACCESSORIES

- Chromed Side Racks
- 1x Tray 25 mm, 1x Grid
- Internal Lamp, Rotisserie





MODEL: LMBO601GS

GAS

FEATURES

60 cm Stainless Steel
 Gas Oven - Grill Gas With Cooling Fan
 2 Knobs Control With Digital Timer
 Led Display
 64L Cavity, Black Cavity Enamel
 Double Glass Oven Door
 Slim Bottom Frame
 Soft Closing Door
 G30/28-30mbar, 3.4kW, 247g/h
 220-240V~, 50/60Hz, 70W



PACKING DETAILS

Net Weight : 32.00 Kg
 Gross Weight : 35.00 Kg
 Product Dimension (WxDxH) : 600x570x570mm
 Packaging Dimension (WxDxH) : 650x570x125mm
 Cutout Dimension (WxDxH) : 595x560x598mm
 Loading Capacity : 216 pcs




FUNCTIONS

3 Oven Functions (Turbo Oven, Oven Gas Burner
 + Grill Gas Burner) Turbo Fan

ACCESSORIES

Chromed Side Racks, 1x Tray 25 mm, 1x Grid
 Internal Lamp
 Rotisserie





MODEL: LMBO602GB GAS

FEATURES

60 cm Black
Gas Oven - Grill Gas With Cooling Fan
2 Knobs Control With Digital Timer
Led Display
64L Cavity, Black Cavity Enamel
Double Glass Oven Door
Slim Bottom Frame
Soft Closing Door
G30/28-30mbar, 3.4kW, 247g/h
220-240V~, 50/60Hz, 70W



PACKING DETAILS

Net Weight : 32.00 Kg
Gross Weight : 35.00 Kg
Product Dimension (WxDxH) : 600x570x570mm
Packaging Dimension (WxDxH) : 650x570x125mm
Cutout Dimension (WxDxH) : 595x560x598mm
Loading Capacity : 216 pcs




8 0 3 3 8 7 4 1 8 7 7 8 4

FUNCTIONS

3 Oven Functions (Turbo Oven, Oven Gas Burner
+ Grill Gas Burner) Turbo Fan

ACCESSORIES

Chromed Side Racks, 1x Tray 25 mm, 1x Grid
Internal Lamp
Rotisserie





ELECTRIC COVEN

EXCELLENCE SERVED DAILY



MODEL: LME0130DD ELECTRIC

FEATURES


- 120 Ltrs Capacity
- Single Glass Door
- 5 Knobs Control (Light, Temperature, -Up & Down Thermostat, Rotisserie & Convection, Timer)
- 120 Mins. Timer with Bell Ring
- 70-250 degrees adjustable temperature
- 5 Sides non-stick coating
- Stainless steel heating elements
- 2 pcs M-shape heating elements

FUNCTIONS

Convection, Inner lamp, Rotisserie

ACCESSORIES

Bake tray, Wire rack, Tray handle, Rotisserie set




PACKING DETAILS

Net Weight	:	17.00 KG
Gross Weight	:	19.80 KG
Product Dimension	(WxDxH):	739x540x464 mm
Packaging Dimension	(WxDxH):	785x605x526 mm
Loading Capacity	:	288 pcs



BUILT-IN
HOBS
EXPERIENCE THE
FREEDOM OF COOKING



MODEL: LMBH302VM

ELECTRIC

FEATURES

30 cm Ceramic

2 Cooking Zones

Front Nickel Knobs Control

2 Knobs With 9 Stages In Each Control

With Residual Heat Indicator

Ø 145 1,2 kW (Front)

Ø 180 1,8 kW (Rear)

3000W Total Electric Input Power

220-240V~, 50-60Hz



2 COOKING
ZONES



NICKEL KNOBS
CONTROL



2 KNOBS



RESIDUAL
HEAT INDICATOR



3000
WATT

PACKING DETAILS

Net Weight : 5.28 Kg



Gross Weight : 5.58 Kg

Product Dimension (WxDxH): 290x510x50mm

Packaging Dimension (WxDxH): 360x587x105mm

Cutout Dimension (WxDxH): 510x288x50mm

Loading Capacity : 2852 pcs



MODEL: LMBH304ES ELECTRIC

FEATURES

30 cm Stainless Steel

2 Electric Hotplates

Nickel Knobs Control

With 6 Stages

With Indicator Light

1x145mm 1,50 kW, 1x180mm 2,00 kW


3500W Total Electric Input Power

220-240V~, 50-60Hz



PACKING DETAILS

Net Weight	:	4.30 Kg
Gross Weight	:	4.60 Kg
Product Dimension	(WxDxH) :	290x510x45mm
Packaging Dimension	(WxDxH) :	560x337x136mm
Cutout Dimension	(WxDxH) :	510x287x45mm
Loading Capacity	:	2376 pcs



MODEL: LMBH303VT ELECTRIC

FEATURES

30 cm Ceramic

2 Cooking Zones

Front Touch Control

2 Cooking Zones With 9 Stages In Each Control

With Residual Heat Indicator

Ø 145 1,2 kW (Front)

Ø 180 1,8 kW (Rear)

3000W Total Electric Input Power

220-240V~, 50/60Hz



2 COOKING
ZONES



FRONT TOUCH
CONTROL



PLUS & MINUS
CONTROL



RESIDUAL
HEAT INDICATOR



3000
WATT

PACKING DETAILS

Net Weight : 5.50 Kg



Gross Weight : 5.80 Kg

Product Dimension (WxDxH) : 290x510x50mm

Packaging Dimension (WxDxH) : 355x590x110mm

Cutout Dimension (WxDxH) : 510x290x50mm

Loading Capacity : 2852 pcs



8 0 3 3 8 7 4 1 8 7 8 9 0



MODEL: LMBH603VT ELECTRIC

FEATURES

60 cm Ceramic

4 Cooking Zones

Front Touch Control

4 Cooking Zones With 9 Stages In Each Control


With Residual Heat Indicator

2 x 145mm 1,2kW

2 x 180mm 1,8kW

6000W Total Electric Input Power

220-240V~, 50/60Hz



4 COOKING
ZONES



FRONT TOUCH
CONTROL



PLUS & MINUS
CONTROL



RESIDUAL
HEAT INDICATOR



6000
WATT

PACKING DETAILS

Net Weight : 9.70 Kg


Gross Weight : 10.00 Kg

Product Dimension (WxDxH) : 600x510x55mm

Packaging Dimension (WxDxH) : 650x580x100mm

Cutout Dimension (WxDxH) : 580x510x55mm

Loading Capacity : 1440 pcs



MODEL: LMBH604ES ELECTRIC

FEATURES

60 cm Stainless Steel

4 Electric Hotplates

Front Nickel Knobs Control

4 Electric Hotplates With 6 Stages Each Knobs

With Indicator Light

2x145mm 1,50kW

2x180mm 2,00kW

7000W Total Electric Input Power

220-240V~, 50-60Hz



4 ELECTRIC
HOTPLATES

6 STAGES
EACH KNOBS

NICKEL KNOBS
CONTROL

INDICATOR
LIGHT

7000
WATT

PACKING DETAILS

Net Weight : 13.20 Kg


Gross Weight : 13.40 Kg

Product Dimension (WxDxH) : 600x510x30mm

Packaging Dimension (WxDxH) : 648x554x122mm

Cutout Dimension (WxDxH) : 580x500x30mm

Loading Capacity : 1512 pcs



MODEL: LMBH908VT ELECTRIC

FEATURES

90 cm Ceramic

5 Cooking Zones

Front Touch Control

5 Cooking Zones With 9 Stages In Each Control

With Residual Heat Indicator

2x145mm 1,2kW, 2x180mm 1,8kW

1x210mm 2,2kW

1xoval zone 265-170mm 2,2kW/1,4kW



8600W Total Electric Input Power

220-240V~, 50/60Hz



PACKING DETAILS

Net Weight	:	12.90 Kg
Gross Weight	:	13.20 Kg
Product Dimension (WxDxH)	:	900x510x55mm
Packaging Dimension (WxDxH)	:	967x576x105mm
Cutout Dimension (WxDxH)	:	900x510x55mm
Loading Capacity	:	1010 pcs



MODEL: LMBH301GS GAS

FEATURES

30 cm Stainless Steel

2 Sabaf Burners

Nickel Knobs Control

Stainless Steel Body

Cast Iron Pan Supports

Automatic Ignition, With Flame Failure Device

0.6W Total Electric Power Input

4000W Total Gas Heat Input, 291g/h, Lpg 3.0 Kpa

Alternative Gas Kit: 2.0 Kpa

220-240V~, 50-60Hz



2 SABAF
BURNERS



AUTOMATIC
IGNITION



NICKEL KNOBS
CONTROL



CAST IRON
PAN SUPPORTS



FLAME FAILURE
DEVICE

PACKING DETAILS

Net Weight : 5.50 Kg


Gross Weight : 6.00 Kg

Product Dimension (WxDxH) : 290x510x45mm

Packaging Dimension (WxDxH) : 570x340x140mm

Cutout Dimension (WxDxH) : 510x287x45mm

Loading Capacity : 2376 pcs



8 0 3 3 8 7 4 1 8 7 7 4 6



MODEL: LMBH306GB

GAS

FEATURES

30 cm 8mm Tempered Black Glass

2 Sabaf Burners

Mechanical Type Control

Tempered Black Glass Body

Cast Iron Pan Supports

Integrated One Hand Ignition

With Flame Failure Device

1.2W Electrical Power Max.

3.9kW Total Gas Heat Input

284 g/h Total Gas Flow Rate

220-240V~, 50-60Hz



2 SABAF
BURNERS



INTEGRATED ONE
HAND IGNITION



NICKEL KNOBS
CONTROL




CAST IRON
PAN SUPPORTS



FLAME FAILURE
DEVICE

PACKING DETAILS

Net Weight	:	6.84 Kg
Gross Weight	:	7.35 Kg
Product Dimension	(WxDxH) :	290x510x96.9mm
Packaging Dimension	(WxDxH) :	359x581x148mm
Cutout Dimension	(WxDxH) :	490x270x30mm
Loading Capacity	:	2376 pcs



8 0 3 3 8 7 4 1 8 7 7 4 6



MODEL: LMBH606GB

GAS

FEATURES

60cm Gas Euro Type Pool Burners

4 Gas Euro Type Pool Burners

Mechanical Type Control

Tempered Black Glass

Cast Iron Pan Supports

Integrated One Hand Ignition



With Flame Failure Device

1.2W Electrical Power Max.

8.8kW Total Gas Heat Input


639 g/h Total Gas Flow Rate

220-240V~, 50-60Hz



PACKING DETAILS

Net Weight	:	13.09 Kg
Gross Weight	:	14.14 Kg
Product Dimension (WxDxH)	:	620x510x94.1mm
Packaging Dimension (WxDxH)	:	679x581x148mm
Cutout Dimension (WxDxH)	:	490x270x30mm
Loading Capacity	:	2376 pcs



MODEL: LMBH601GS GAS

FEATURES

60 cm Stainless Steel

4 Sabaf Burners

Nickel Knobs Control

Stainless Steel Body

Cast Iron Pan Supports

Automatic Ignition, With Flame Failure Device

0.6W Total Electric Power Input

8000W Total Gas Heat Input, 582g/h, LPG 3.0 kPa


Alternative Gas Kit: 2.0 Kpa

220-240V~, 50-60Hz



PACKING DETAILS

Net Weight	:	10.50 Kg
Gross Weight	:	10.80 Kg
Product Dimension (WxDxH)	:	590x510x55mm
Packaging Dimension (WxDxH)	:	660x570x125mm
Cutout Dimension (WxDxH)	:	590x510x55mm
Loading Capacity	:	1440 pcs



MODEL: LMBH602GS GAS

FEATURES

60 cm Stainless Steel

4 Sabaf Burners

Nickel Knobs Control

Stainless Steel Body

Cast Iron Pan Supports

Automatic Ignition, With Flame Failure Device

0.6W Total Electric Power Input

1750W Total Gas Heat Input, 545g/h, LPG 3.0 kPa

Alternative Gas Kit: 2.0 Kpa

220-240V~, 50-60Hz



4 SABAF
BURNERS



AUTOMATIC
IGNITION



NICKEL KNOBS
CONTROL



CAST IRON
PAN SUPPORTS



FLAME FAILURE
DEVICE

PACKING DETAILS

Net Weight : 9.80 Kg


Gross Weight : 10.20 Kg

Product Dimension (WxDxH): 600x510x50mm

Packaging Dimension (WxDxH): 650x570x125mm

Cutout Dimension (WxDxH): 600x510x50mm

Loading Capacity : 1440 pcs



MODEL: LMBH901GS

GAS

FEATURES

90 cm Stainless Steel

5 Sabaf Burners

Nickel Knobs Control

Stainless Steel Body

Cast Iron Pan Supports

Automatic Ignition, With Flame Failure Device

0.6W Total Electric Power Input

11500W Total Gas Heat Input, 836g/h, LPG 3.0 kPa

Alternative Gas Kit: 2.0 Kpa

220-240V~, 50-60Hz



5 SABAF
BURNERS



AUTOMATIC
IGNITION



NICKEL KNOBS
CONTROL



CAST IRON
PAN SUPPORTS



FLAME FAILURE
DEVICE

PACKING DETAILS

Net Weight : 14.50 Kg


Gross Weight : 14.80 Kg

Product Dimension (WxDxH) : 890x510x50mm

Packaging Dimension (WxDxH) : 950x580x130mm

Cutout Dimension (WxDxH) : 890x510x50mm

Loading Capacity : 1010 pcs



8 0 3 3 8 7 4 1 8 7 8 7 6

MODEL: LMBH902GB

GAS

FEATURES

90 cm Black Glass

5 Defendi Burners

Nickel Knobs Control

Black Glass Body

Cast Iron Pan Supports

Automatic Ignition, With Flame Failure Device

0.6W Total Electric Power Input

11000W Total Gas Heat Input, 800g/h, LPG 3.0 kPa

Alternative Gas Kit: 2.0 Kpa

220-240V~, 50-60Hz



5 DEFENDI
BURNERS



AUTOMATIC
IGNITION



NICKEL KNOBS
CONTROL



CAST IRON
PAN SUPPORTS



FLAME FAILURE
DEVICE

PACKING DETAILS

Net Weight : 20.00 Kg


Gross Weight : 20.40 Kg

Product Dimension (WxDxH) : 900x510x55mm

Packaging Dimension (WxDxH) : 936x558x148mm

Cutout Dimension (WxDxH) : 900x510x55mm

Loading Capacity : 462 pcs



8 0 3 3 8 7 4 1 8 7 7 0 8

MODEL: LMBH903GS

GAS

FEATURES

90 cm Stainless Steel

5 Sabaf Burners

Nickel Knobs Control

Stainless Steel Body

Cast Iron Pan Supports

Automatic Ignition, With Flame Failure Device

0.6W Total Electric Power Input

11500W Total Gas Heat Input, 836g/h, LPG 3.0 kPa

Alternative Gas Kit: 2.0 Kpa

220-240V~, 50-60Hz



5 SABAF
BURNERS



AUTOMATIC
IGNITION



NICKEL KNOBS
CONTROL



CAST IRON
PAN SUPPORTS



FLAME FAILURE
DEVICE

PACKING DETAILS

Net Weight : 15.30 Kg



Gross Weight : 15.60 Kg

Product Dimension (WxDxH) : 890x510x55mm

Packaging Dimension (WxDxH) : 935x575x120mm

Cutout Dimension (WxDxH) : 890x510x55mm

Loading Capacity : 1010 pcs



MODEL: LMBH906GB

GAS

FEATURES

90 cm Black Glass

5 Defendi Burners

Nickel Knobs Control

Black Glass Body

Cast Iron Pan Supports

Automatic Ignition, With Flame Failure Device

0.6W Total Electric Power Input

1150W Total Gas Heat Input, 837g/h, LPG 3.0 kPa

Alternative Gas Kit: 2.0 Kpa

220-240V~, 50-60Hz



5 DEFENDI
BURNERS



AUTOMATIC
IGNITION



NICKEL KNOBS
CONTROL



CAST IRON
PAN SUPPORTS



FLAME FAILURE
DEVICE

PACKING DETAILS

Net Weight : 21.40 Kg


Gross Weight : 22.40 Kg

Product Dimension (WxDxH) : 900x510x60mm

Packaging Dimension (WxDxH) : 963x558x220mm

Cutout Dimension (WxDxH) : 890x510x55mm

Loading Capacity : 462 pcs



MODEL: LMBH904GV

GAS & ELECTRIC

FEATURES

90 cm Stainless Steel

4 Sabaf Burners and 2 Electric Hotplates

Nickel Knobs Control

Stainless Steel Body

Cast Iron Pan Supports

Automatic Ignition, With Flame Failure Device

3000W Total Electric Power Input

8000W Total Gas Heat Input, 582g/h, LPG 3.0 kPa

Alternative Gas Kit: 2.0 Kpa

220-240V~, 50-60Hz



4 SABAF
BURNERS



2 ELECTRIC
HOTPLATES



AUTOMATIC
IGNITION



NICKEL KNOBS
CONTROL



CAST IRON
PAN SUPPORTS



FLAME FAILURE
DEVICE

PACKING DETAILS

Net Weight : 15.40 Kg



Gross Weight : 15.80 Kg

Product Dimension (WxDxH) : 900x510x50mm

Packaging Dimension (WxDxH) : 955x580x125mm

Cutout Dimension (WxDxH) : 890x510x50mm

Loading Capacity : 1010 pcs



8 0 3 3 8 7 4 1 8 7 8 6 9



MODEL: LMBH905GH

GAS & ELECTRIC

FEATURES

90 cm Stainless Steel

4 Sabaf Burners and 2 Electric Hotplates

Nickel Knobs Control

Stainless Steel Body

Cast Iron Pan Supports

Automatic Ignition, With Flame Failure Device

3500W Total Electric Power Input

7500W Total Gas Heat Input, 545g/h, LPG 3.0 kPa

Alternative Gas Kit: 2.0 Kpa

220-240V~, 50-60Hz



4 SABAF
BURNERS



2 ELECTRIC
HOTPLATES



AUTOMATIC
IGNITION



NICKEL KNOBS
CONTROL



CAST IRON
PAN SUPPORTS



FLAME FAILURE
DEVICE

PACKING DETAILS

Net Weight : 15.30 Kg


Gross Weight : 15.60 Kg

Product Dimension (WxDxH) : 900x510x50mm

Packaging Dimension (WxDxH) : 960x590x140mm

Cutout Dimension (WxDxH) : 890x510x50mm

Loading Capacity : 1010 pcs





BUILT-IN HOODS

KITCHEN MAGICIAN





MODEL: LMDH60B ELECTRIC

FEATURES

- 60 cm Black
- Down Draft Hood
- SS430+Black Tempered Glass
- 3 Speed Slider Sensor Touch
- 2 X 1.5W Led Light
- 5-layer Aluminum Filter With Metal Handle (1pc)
- With 2pcs Carbon Filter
- 1x195W Motor With Metal Blower And Metal Fan
- 750m3/h Air Flow
- 220-240V~, 50Hz

PACKING DETAILS

- Net Weight : 27.00 Kg
- Gross Weight : 30.50 Kg
- Product Dimension (WxDxH): 599x368x721.5mm
- Packaging Dimension (WxDxH): 655x775x415mm
- Cutout Dimension (WxDxH): 530x100mm
- Loading Capacity : 342 pcs



2 X 1.5W
LED LIGHT



3 SPEED SLIDER
SENSOR TOUCH



750CBM/H
AIR FLOW



2PCS CARBON
FILTER



5-LAYER
ALUMINUM FILTER





MODEL: LMDH90B ELECTRIC

FEATURES

90 cm Black

Down Draft Hood

SS430+Black Tempered Glass

3 Speed Slider Sensor Touch

2 X 1.5W Led Light

5-layer Aluminum Filter With Metal Handle (1pc)

With 2pcs Carbon Filter



1x195W Motor With Metal Blower And Metal Fan

750m3/h Air Flow

220-240V~, 50Hz

PACKING DETAILS

Net Weight	:	31.00 Kg
Gross Weight	:	34.50 Kg
Product Dimension	(WxDxH):	880x368x721.5mm
Packaging Dimension	(WxDxH):	935x775x415mm
Cutout Dimension	(WxDxH):	800x100mm
Loading Capacity	:	239 pcs



2 X 1.5W
LED LIGHT



3 SPEED SLIDER
SENSOR TOUCH



750CBM/H
AIR FLOW



2PCS CARBON
FILTER



5-LAYER
ALUMINUM FILTER





MODEL: LMSH90B ELECTRIC

FEATURES

90 cm Black

Slide Draft Hood

Black Painting+tempered Glass

3 Speed Handwave Sensor Touch

2 X 1.5W Led Light+ 2x1W Backlight

5-layer Aluminum Filter With Metal Handle (2pcs)

With 2pcs Carbon Filter

1x195W Motor With Metal Blower And Metal Fan

750m3/h Air Flow

220-240V~, 50Hz

PACKING DETAILS

Net Weight : 21.50 Kg

Gross Weight : 25.20 Kg

Product Dimension (WxDxH): 895x450x800mm

Packaging Dimension (WxDxH): 970x545x535mm

Loading Capacity : 255 pcs



2 X 1.5W
LED LIGHT



3 SPEED HANDWAVE
SENSOR TOUCH



750CBM/H
AIR FLOW



2PCS CARBON
FILTER



5-LAYER
ALUMINUM FILTER



6 2 9 1 1 0 1 6 9 8 2 0 1



MODEL: LMIH910ST ELECTRIC

FEATURES

90 cm Stainless Steel

Island Hood 430 Stainless Steel Body + Tempered Glass

Electronic control

3 Speeds

4 X 1.5W Round Led Lights

1 Pc Stainless Steel Baffle Filter With Stainless Steel Oil Cup

1 X 195W Motor With Metal Blower & Metal Fan 750m³/h.

2 X 600 430 Stainless Steel Chimneys

1 Pc Aluminum Foil Pipe With 1 Pc Rectangle Carbon Filter

220-240V~, 50Hz

PACKING DETAILS

Net Weight : 10.00 Kg

Gross Weight : 12.50 Kg

Product Dimension (WxDxH): 600x600x310mm

Packaging Dimension (WxDxH): 655x405x660mm

Loading Capacity : 214 pcs



4 X 1.5W
LED LIGHT



3 SPEEDS



750M3/H
METAL FAN



1PC BAFFLE
FILTER



1 PC RECTANGLE
CARBON FILTER



6 2 9 1 1 0 1 6 9 2 5 4 4





MODEL: LMCH906ST ELECTRIC

FEATURES

90 cm Stainless Steel

Arc-shape Hood 430 Stainless Steel Body + Tempered Glass

Digital Control

3 Speeds

2 X 1.5W Round Led Lights

2 Pcs Stainless Steel Baffle Filter With Stainless Steel Oil Cup

1x195W Motor With Metal Blower & Metal Fan 750m3/h.

2 X 500 430 Stainless Steel Chimneys

1 Pc Aluminum Foil Pipe With 1pc Rectangle Carbon Filter

220-240V~, 50Hz

PACKING DETAILS

Net Weight : 15.20 Kg

Gross Weight : 18.30 Kg

Product Dimension (WxDxH) : 900x460x560mm

Packaging Dimension (WxDxH) : 945x445x535mm

Loading Capacity : 320 pcs



2 X 1.5W
LED LIGHT



3 SPEEDS



750M3/H
METAL FAN



2 PCS BAFFLE
FILTER



1 PC RECTANGLE
CARBON FILTER



6 2 9 1 1 0 1 6 9 0 8 3 0



MODEL: LMCH905ST ELECTRIC

FEATURES

90 cm Stainless Steel

T-shape Hood 430 Stainless Steel Body + Front Glass

Digital Control

3 Speeds

2 X 1.5W Round Led Lights

3 Pcs Stainless Steel Baffle Filter With Stainless Steel Oil Cup

1 X 195W Motor With Metal Blower & Metal Fan 750m³/h.

2 X 500 430 Stainless Steel Chimneys

1 Pc Aluminum Foil Pipe With 2pcs Round Carbon Filter

220-240V~, 50Hz

PACKING DETAILS

Net Weight	:	15.00 Kg
Gross Weight	:	20.00 Kg
Product Dimension (WxDxH)	:	900x505x615mm
Packaging Dimension (WxDxH)	:	955x445x555mm
Loading Capacity	:	305 pcs



2 X 1.5W
LED LIGHT



3 SPEEDS



750M³/H
METAL FAN



3 PCS BAFFLE
FILTER



2 PC ROUND
CARBON FILTER



6 2 9 1 1 0 1 6 9 3 6 9 5



MODEL: LMCH90ST ELECTRIC

FEATURES

90 cm Stainless Steel

Pyramid Hood 430 Stainless Steel Body

Push Button Control

3 Speeds

2 X 1.5W Round Led Lights

3 Pcs Stainless Steel Baffle Filter With Stainless Steel Oil Cup

1 X 195W Motor With Metal Blower & Metal Fan 750m³/h.

2 X 400 430 Stainless Steel Chimneys

1 Pc Aluminum Foil Pipe With 2 Pcs Round Carbon Filter

220-240V~, 50Hz

PACKING DETAILS

Net Weight : 13.00 Kg

Gross Weight : 15.10 Kg

Product Dimension (WxDxH) : 900x500x600mm

Packaging Dimension (WxDxH) : 955x325x555mm

Loading Capacity : 418 pcs



2 X 1.5W
LED LIGHT



3 SPEEDS



750M³/H
METAL FAN



3 PCS BAFFLE
FILTER



2 PC ROUND
CARBON FILTER



6 2 9 1 1 0 1 6 9 8 2 1 8



MODEL: LMCH60ST ELECTRIC

FEATURES

60 cm Stainless Steel

Pyramid Hood 430 Stainless Steel Body

Push Button Control

3 Speeds

2 X 1.5W Round Led Lights

3 Pcs Stainless Steel Baffle Filter With Stainless Steel Oil Cup

1 X 195W Motor With Metal Blower & Metal Fan 750m³/h.

2 X 400 430 Stainless Steel Chimneys

1 Pc Aluminum Foil Pipe With 2 Pcs Round Carbon Filter

220-240V~, 50Hz

PACKING DETAILS

Net Weight : 11.00 Kg

Gross Weight : 13.00 Kg

Product Dimension (WxDxH) : 600x500x660mm

Packaging Dimension (WxDxH) : 655x325x555mm

Loading Capacity : 609 pcs



2 X 1.5W
LED LIGHT



3 SPEEDS



750M³/H
METAL FAN



3 PCS BAFFLE
FILTER



2 PC ROUND
CARBON FILTER





MODEL: LMH60ST ELECTRIC

FEATURES

60 cm Stainless Steel

Electromechanical Push Button

3 Speeds

1x40W Incandescence Light

1x95W Motor

200m³/h Max Air flow

Metallic Grid Grease Filter

Odor Filter

220-240V~, 50Hz

PACKING DETAILS

Net Weight : 7.75 Kg

Gross Weight : 8.75 Kg

Product Dimension (WxDxH) : 598x525x150mm

Packaging Dimension (WxDxH) : 210x650x560mm

Loading Capacity : 942 pcs



1X40W
LIGHT



3 SPEEDS



200M³/H
AIR FLOW



METALLIC GRID
GREASE FILTER



ODOR
FILTER



6 2 9 0 3 6 1 4 5 2 1 8 9



MODEL: LMH90ST ELECTRIC

FEATURES

90 cm Stainless Steel

Electromechanical Push Button

3 Speeds

1x40W Incandescence Light

1x95W Motor

200m³/h Max Air flow

Metallic Grid Grease Filter

Odor Filter

220-240V~, 50Hz

PACKING DETAILS

Net Weight : 9.45 Kg

Gross Weight : 10.65 Kg

Product Dimension (WxDxH) : 898x525x150mm

Packaging Dimension (WxDxH) : 210x650x560mm

Loading Capacity : 942 pcs



1X40W
LIGHT



3 SPEEDS



200M³/H
AIR FLOW



METALLIC GRID
GREASE FILTER



ODOR
FILTER



6 2 9 0 3 6 1 4 5 2 2 0 2



MODEL: LMH60W ELECTRIC

FEATURES

60 cm White

Electromechanical Push Button

3 Speeds

1x40W Incandescence Light

1x95W Motor

200m³/h Max Air flow

Metallic Grid Grease Filter

Odor Filter

220-240V~, 50Hz

PACKING DETAILS

Net Weight : 7.75 Kg

Gross Weight : 8.75 Kg

Product Dimension (WxDxH) : 598x525x150mm

Packaging Dimension (WxDxH) : 210x950x560mm

Loading Capacity : 644 pcs



1X40W
LIGHT



3 SPEEDS



200M³/H
AIR FLOW



METALLIC GRID
GREASE FILTER



ODOR
FILTER



6 2 9 0 3 6 1 4 5 2 1 9 6



MODEL: LMH90W ELECTRIC

FEATURES

90 cm White

Electromechanical Push Button

3 Speeds

1x40W Incandescence Light

1x95W Motor

200m³/h Max Air flow

Metallic Grid Grease Filter

Odor Filter

220-240V~, 50Hz

PACKING DETAILS

Net Weight : 9.45 Kg

Gross Weight : 10.65 Kg

Product Dimension (WxDxH) : 898x525x150mm

Packaging Dimension (WxDxH) : 210x950x560mm

Loading Capacity : 644 pcs



1X40W
LIGHT



3 SPEEDS



200M³/H
AIR FLOW



METALLIC GRID
GREASE FILTER



ODOR
FILTER



6 2 9 0 3 6 1 4 5 2 2 1 9



MODEL: LMCP603N

ELECTRIC

FEATURES

60 cm Slide Out Design

Pullout- Consealed Top - Internal Circulation

Stainless Steel

2pcs Round Carbon Filter

3-Layer Aluminum Filter (2pcs)

2 speed Rocket Switch

2x65W Motor, Extraction Capacity 440 m3/hr

2x28W Halogen Lamp

SS430+Galvanized plate box

220-240V~, 50Hz

PACKING DETAILS

Net Weight : 9.00 KG

Gross Weight : 10.00 KG

Product Dimension (WxDxH) : 600x315x194mm

Packaging Dimension (WxDxH) : 635x250x370mm

Loading Capacity 40hq : 1169 pcs



2X28W HALOGEN
LAMP



2 SPEEDS



440M3/H
AIR FLOW



3-LAYER ALUMINUM
FILTER



2PCS ROUND
CARBON FILTER





MODEL: LMCP903N ELECTRIC

FEATURES

90cm Slide Out Design

Stainless Steel

Pullout- Consealed Top - Internal Circulation

2pcs Round Carbon Filter

3-Layer Aluminum Filter (2pcs)

2 Speed Rocket Switch

2x65W Motor, Extraction Capacity 440 m3/hr

2x28W Halogen Lamp

SS430+Galvanized Plate Box

220-240V~,50Hz

PACKING DETAILS

Net Weight : 11.00 KG

Gross Weight : 12.50 KG

Product Dimension (WxDxH) : 900x315 x 194mm

Packaging Dimension (WxDxH) : 935x250x370mm

Loading Capacity 40hq : 784 pcs



2X28W HALOGEN
LAMP



2 SPEEDS



440M3/H
AIR FLOW



3-LAYER ALUMINUM
FILTER



2PCS ROUND
CARBON FILTER





BUILT-IN

REFRIGERATOR

MAINTAIN FRESHNESS FOR LONGER

MODEL: LMTP2791

FREEZER

FEATURES

Nofrost Cooling System

197 Ltrs Net Capacity

221 Ltrs Gross Capacity

R600a Refrigerant

Electronic Control System

LED Lamp

40 (dB) Noise Level

297 (kWh/year) Energy Consumption

0.813 (kWh/24h) Energy Consumption

4 Star

146W Power

220-240V~, 50Hz



NO
FROST



LED LAMP



146W
POWER



REFRIGERATING
GAS



ELECTRONIC
CONTROL SYSTEM



40 (DB) NOISE
LEVEL



ENERGY
SAVING



ENERGY
CLASS



PERFORMANCE
(STAR RATING)



ECO
FRIENDLY

PACKING DETAILS

Net Weight : 59.00 Kg

Gross Weight : 63.00 Kg

Product Dimension (WxDxH): 540X545X1770mm


Packaging Dimension (WxDxH): 584X577X1834mm

Cutout Dimension (WxDxH): 530x100mm

Loading Capacity : 105 pcs



Dimensions



MODEL: LMTP2795

REFRIGERATOR

FEATURES

Static Cooling System

300 Ltrs Net Capacity

303 Ltrs Gross Capacity

R600a Refrigerant

Electronic Control System

LED Lamp


39 (dB) Noise Level

144 (kWh/year) Energy Consumption

0.394 (kWh/24h) Energy Consumption


98W Power

220-240V~, 50Hz



PACKING DETAILS

Net Weight	:	49.00 Kg
Gross Weight	:	52.00 Kg
Product Dimension (WxDxH)	:	540X545X1770mm
Packaging Dimension (WxDxH)	:	584X577X1834mm
Cutout Dimension (WxDxH)	:	530x100mm
Loading Capacity	:	105 pcs





MODEL: LMTP2795-LMTP2791

TWIN PAIR



NO
FROST



LED LAMP



146W
POWER



REFRIGERATING
GAS



ELECTRONIC
CONTROL SYSTEM



40 (DB) NOISE
LEVEL



ENERGY
SAVING



ENERGY
CLASS



PERFORMANCE
(STAR RATING)



ECO
FRIENDLY



STATIC
COOLING SYSTEM



LED LAMP



98W
POWER



REFRIGERATING
GAS



ELECTRONIC
CONTROL SYSTEM



39 (DB) NOISE
LEVEL



ENERGY
SAVING



ENERGY
CLASS



ECO
FRIENDLY

MODEL: LMBF350

BOTTOM FREEZER

FEATURES

Automatic Defrost System Fridge/Freezer

256 Ltrs Gross Capacity

251 Ltrs Gross Capacity

75 Ltrs Gross Freezer Capacity

4kg/24h Freezing Capacity

40 dB (A) Noise Level

Static Condenser Type

R600a Refrigerant

0.736 kWh/24h Energy consumption

269 kWh/year Energy consumption

164.23W Power

220-240V~, 50Hz



NO
FROST



LED LAMP



TURBO
FAN



REFRIGERATING
GAS



MECHANICAL
CONTROL SYSTEM



41 (DB) NOISE
LEVEL



ENERGY
SAVING



ENERGY
CLASS



PERFORMANCE
(STAR RATING)



ECO
FRIENDLY




* 1770 - 1778 for metal top cover

PACKING DETAILS

Net Weight	:	51.00 Kg
Gross Weight	:	55.00 Kg
Product Dimension (WxDxH) :		540X545X1770mm
Packaging Dimension (WxDxH) :		584X577X1834mm
Cutout Dimension (WxDxH) :		540x545x1770mm
Loading Capacity	:	105 pcs



6 2 9 0 3 6 1 4 5 2 0 9 7



MODEL: LMBF250

TOP FREEZER

FEATURES

Static Cooling System

214 Ltrs Net Capacity

217 Ltrs Gross Capacity

R600a Refrigerant

Mechanical Control System

LED Lamp

40 (dB) Noise Level

227 (kWh/year) Energy Consumption

0.622 (kWh/24h) Energy Consumption

4 Star

132W Power

220-240V~, 50Hz



STATIC
COOLING SYSTEM



LED LAMP



132
WATTAGE



REFRIGERANTING
GAS



MECHANICAL
CONTROL SYSTEM



40 (DB) NOISE
LEVEL



ENERGY
SAVING



ENERGY
CLASS



PERFORMANCE
(STAR RATING)




ECO
FRIENDLY

PACKING DETAILS

Net Weight	:	36.50 Kg
Gross Weight	:	41.00 Kg
Product Dimension	(WxDxH) :	540X545X1445mm
Packaging Dimension	(WxDxH) :	584X577X1509mm
Cutout Dimension	(WxDxH) :	540x545x1445mm
Loading Capacity	:	138 pcs



64



* 1020 - 1028 for metal top cover

MODEL: LMBF220

REFRIGERATOR

FEATURES

Static Cooling System

192 Ltrs Net Capacity

195 Ltrs Gross Capacity

R600a Refrigerant

Mechanical Control System

LED Lamp

42 (dB) Noise Level


209 (kWh/year) Energy Consumption

0.573 (kWh/24h) Energy Consumption

4 Star

153W Power


220-240V~, 50Hz



PACKING DETAILS

Net Weight	:	35.50 Kg
Gross Weight	:	38.00 Kg
Product Dimension (WxDxH)	:	540X545X1225mm
Packaging Dimension (WxDxH)	:	584X577X1289mm
Cutout Dimension (WxDxH)	:	540x545x1225mm
Loading Capacity	:	160 pcs

* 1020 - 1028 for metal top cover



MODEL: LMBF150

REFRIGERATOR

FEATURES

Static Cooling System

214 Ltrs Net Capacity

217 Ltrs Gross Capacity

R600a Refrigerant

Mechanical Control System

LED Lamp

40 (dB) Noise Level

227 (kWh/year) Energy Consumption

0.622 (kWh/24h) Energy Consumption

4 Star

132W Power

220-240V~, 50Hz




PACKING DETAILS

Net Weight : 36.50 Kg
 Gross Weight : 41.00 Kg
 Product Dimension (WxDxH) : 540X545X1445mm
 Packaging Dimension (WxDxH) : 584X577X1509mm
 Cutout Dimension (WxDxH) : 530x100mm
 Loading Capacity : 140 pcs



Dimensions

* 1020 - 1028 for metal top cover



MODEL: LMBF100

REFRIGERATOR

FEATURES

- Automatic Defrost System Fridge
- Manual Defrost System Freezer
- 120 Ltrs Gross Capacity
- 115 Ltrs Gross Capacity
- 18 Ltrs Gross Freezer Capacity
- 2kg/24h Freezing Capacity
- 44 dB (A) Noise Level
- Forced Condenser Type
- R600a Refrigerant
- 0.468 kWh/24h Energy consumption
- 171 kWh/year Energy consumption
- 123W Power
- 220-240V~, 50Hz





STATIC COOLING SYSTEM



LED LAMP



123 WATTAGE



REFRIGERATING GAS



MECHANICAL CONTROL SYSTEM



39 (DB) NOISE LEVEL



ENERGY SAVING



ENERGY CLASS




PERFORMANCE (STAR RATING)



ECO FRIENDLY

PACKING DETAILS

Net Weight	:	32.00 Kg
Gross Weight	:	35.00 Kg
Product Dimension	(WxDxH) :	595X548X818mm
Packaging Dimension	(WxDxH) :	659X586X883mm
Cutout Dimension	(WxDxH) :	595x548x888mm
Loading Capacity	:	214 pcs



SIDE BY SIDE

KEEP YOUR FOOD ORGANIZED,
AND YOUR LIFE EASIER



MODEL: LMRF600

REFRIGERATOR

FEATURES

Side by Side Refrigerator

No-frost Bottom-mounted

LECO Net Flavor & Refreshing System

Dark Stainless Steel

562 Ltrs Gross Capacity

Inverter

LED Display with Touch-electronic

Recessed Handle

LED Light

R600a Refrigerant

Inside Condenser

220-240V~, 50/60Hz, 1100W



NOFROST
COOLING SYSTEM



LED
LIGHT



123
WATTAGE



REFRIGERATING
GAS



TOUCH
ELECTRONIC

PACKING DETAILS

Net Weight : 102.00 KG

Gross Weight : 114.00 KG

Product Dimension (WxDxH) : 912 x 704 x 1770 MM

Packaging Dimension (WxDxH) : 987 x 780 x 1841 MM

Loading Capacity : 48 pcs



6 2 9 0 3 6 1 4 5 2 2 4 0

BUILT-IN
WASHER DRYER
THE PERFECT CARE FOR YOUR CLOTHES



MODEL: LMWM5309N WASHER

FEATURES

8 Kg Washing Capacity
8 Kg Spinning Capacity
6 Kg Drying Capacity
16 Program Knob Selection
4 Button Function
LED Display
PTC Lock
BLDC Motor
76dB Noise Level
1400RPM
1900W
220-240V~/50Hz



PACKING DETAILS

Net Weight : 55.20 KG
Gross Weight : 56.60 KG
Product Dimension (WxDxH) : 845X597X497 MM
Packaging Dimension (WxDxH) : 890X655X571 MM
Loading Capacity 40hq : 144 pcs



MODEL: LMWM8001
WASHER

FEATURES

- 8 Kg Washing Capacity
- 8 Kg Spinning Capacity
- 16 Number Of Program
- 1400 RPM
- LED Display Type
- Electromagnetic Door Lock
- BLDC Motor
- 2000W Rated Power
- B Energy Efficiency Class
- 220-240V~, 50/60Hz, 1100W



WASHING
CAPACITY



SPINNING
CAPACITY



16 PROGRAM
KNOB SELECTION



LED
DISPLAY



1400
RPM



76 (DB) NOISE
LEVEL



BLDC
MOTOR



ENERGY
SAVING



2000
WATTAGE



ECO
FRIENDLY



PACKING DETAILS

- Net Weight : 68.00 KG
- Gross Weight : 72.00 KG
- Product Dimension (WxDxH) : 595X565X850 MM (WxDxH)
- Packaging Dimension (WxDxH) : 680X660X875 MM (WxDxH)
- Loading Capacity : 159 pcs






BUILT-IN
DISHWASHER
YOUR CHOICE QUALITY COMFORT

MODEL: LMBD1200

DISHWASHER


FEATURES

- 12 Place Settings
- 12Ltrs (60cm)
- 2 Racks
- 6 Programs
- Touch Control Panel
- LED Indicator
- Knife Rack Assembly
- Automatic Fault Warnings Indicator
- With Filter and Drain Hose
- 1900W, 10A, 0.03-1.00MPa
- 220-240V~, 50Hz



PACKING DETAILS

Net Weight	: 38.00 Kg
Gross Weight	: 40.00 Kg
Product Dimension (WxDxH)	: 598X570X820mm
Packaging Dimension (WxDxH)	: 644X661X851mm
Cutout Dimension	: 598x570x717mm
Loading Capacity	: 199 pcs





STAND MIXER


LIMITLESS POSSIBILITIES

MODEL: LMSM1200

STAND MIXER

FEATURES

- 12 Liter Large capacity
- ABS plastic housing with modern design
- Pure copper motor
- 304 stainless steel mixing bowl
- LED display with timer function
- Full metal gears strong internal structure
- Planetary rotation for thorough mixing
- Transparent splash protection lid with refilling month
- Special low noise design
- 6 speeds with pulse function
- Tilt head design with safety switch
- Anti-slip rubber feet
- 220-240V~, 50/60HZ, 1100W



PACKING DETAILS

Net Weight	:	10.40 Kg
Gross Weight	:	11.29 Kg
Product Dimension (WxDxH):	:	367x269x435mm
Packaging Dimension (WxDxH):	:	478x305x462mm
Loading Capacity	:	826 pcs





ELECTRICGRILL
BIGGER. BETTER. BBQ

MODEL: LMCG5000

BARBEQUE GRILL

FEATURES

Open Flat Upto 180° For Bbq Grilling

No Food Burnt

Manual Cooking Control

Intelligent Food-thickness Recognition

7 Cooking Mode For Various Food

Adjustable Cooking Temperatures

Automatic Cooking Time

Easy Detachable & Washable Plates

1800-2100W

220-240V~, 50-60Hz



OPEN
FLAT

MANUAL COOKING
CONTROL

AUTOMATIC
COOKING TIME

1800-2100
WATTAGE

ELECTRIC
GRILL

PACKING DETAILS

Net Weight : 4.95 Kg
Gross Weight : 5.60 Kg
Product Dimension (WxDxH) : 379x331x384mm
Packaging Dimension (WxDxH) : 426x202x140mm
Loading Capacity : 1797 pcs





مجموعة شركات لطفي (ش.ذ.م.م.)

LUTFI GROUP Since 1971

Lutfi Group of Companies L.L.C

P.O Box 1430, Dubai - U.A.E Tel: +971 4 222 5335
Email: info@lutfigroup.com | www.lutfigroup.com